

Taking small steps together, always ahead, towards a better world



# Macropac

Pleated filter for coarse and fine dust







### **APPLICATIONS**



Clean Air

Power Generation



Clean Room

Indust

### **KEY FACTS**

- Maintenance free
  For simple, low cost of ownership
- Large filter area
  Provides a long service life and high dust holding capacity
- No dust break through For assured performance
- Patented, flexible pleat distance holders
   Allows a uniform air flow across the filter surface
- Free from metal and fully incinerable
   For easy, environmentally friendly disposal

# Macropac

Pleated filter for coarse and fine dust

Macropac is used in air conditioning applications providing optimisation of air filtration to a small filtration area. With a compact construction and a depth of 96mm, a large filter area and high dust holding capacity, are key features of this filter.

Independently tested, filters reach class G4 according to EN 779. Fire resistance is according to DIN 4102 class B.





### **Technical Data**

Dimensions of frame	mm	287 x 592 x 130	490 x 592 x 130	592 x 592 x 130
Dimensions of filter	mm	245 x 450 x 96	450 x 550 x 96	550 x 550 x 96
G4 Type		MW 30 B	MW 30 B	MW 30 B
Average arrestance (EN 779)	%	> 90	> 90	> 90
Nominal air flow	m³/h	1700	2550	3400
Initial pressure drop	Ра	50	50	50
Macropac general data				
Recommended final pressure drop	Ра	280	280	280
Relative air humidity	%	100	100	100
Continuous operating temperature	°C	80	80	80
Filter area	m²	3.2	5.7	6.4
Weight	kg	2.0	2.6	3.4

## Construction

Macropac is based on non-woven media layers of varying efficiencies. The patented assembly method ensures that the media is pleated at optimised distances and held with flexible distance holders. In this way the filter packs are secured tightly in the frames, ensuring a good seal. Changing the filter is also a simple task requiring no tools.



Air Flow [m<sup>3</sup>/h]

#### **OUR LOCATIONS**

ÖSTERREICH Tel: +43 (0) 1 698 66 77 0

FRANCE Tel: +33 (0) 1 64 07 61 25

ITALIA Tel: +39 022 692 6321

SOUTH AFRICA Tel: +27 (0) 114 250 470

SVERIGE Tel: +46 (0) 325 661 600

UNITED KINGDOM Tel: +44 (0) 1282 413 131

DANMARK <u>Tel: +45 3</u>64 966 00

SCHWEIZ Tel: +41 (0) 433 992 700

NEDERLAND Tel: +31 888 653 724

DEUTSCHLAND Tel: +49 (0) 2339 128 00 oder +49 (0) 6181 9082 01

ESPAÑA Tel: +34 937 522 718

In view of continuous research and development we reserve the right to modify specifications and dimensions without prior notice. For quoted standards, the issue valid at the print date of this leaflet is relevant. © Vokes Air • 02/2011 • EN • 0010



Taking small steps together, always ahead, towards a better world